

WINDOW SCHEDULE: GROUND FLOOR & FIRST FLOOR		WINDOW TYPE	W01
SIZE (H x W)	450mm x 2100mm		
DESCRIPTION	ALUMINIUM FRAMED WINDOW		
FRAMES	POWDER COATED ALUMINIUM TO MATCH EXISTING HOUSE. TO BE COMPLIANT WITH SANS 204.		
GLAZING	4mm TOUGHENED SAFETY GLASS AS PER MANUFACTURERS SPECIFICATIONS.		
HARDWARE	TO LATER SPECIFICATION		
		Quant:	14

WINDOW SCHEDULE: FIRST FLOOR		WINDOW TYPE	W02
SIZE (H x W)	5111mm x 300mm		
DESCRIPTION	ALUMINIUM FRAMED WINDOW		
FRAMES	POWDER COATED ALUMINIUM TO MATCH EXISTING HOUSE. TO BE COMPLIANT WITH SANS 204.		
GLAZING	4mm CLEAR GLASS AS PER MANUFACTURERS SPECIFICATIONS. ALL GLAZING TO COMPLY WITH SANS 1040 PART N. ENSURE ALL WATERPROOFING WITH SABS APPROVED SEALS. ALLOW 3-5mm VERTICAL MOVEMENT BETWEEN GLASS AND FRAME.		
HARDWARE	TO LATER SPECIFICATION		
		Quant:	01

WINDOW SCHEDULE: FIRST FLOOR		CORNER WINDOW		WINDOW TYPE	W03
SIZE (H x W)	3115mm x 300mm				5221mm x 300mm
DESCRIPTION	ALUMINIUM FRAMED WINDOW				
FRAMES	POWDER COATED ALUMINIUM TO MATCH EXISTING HOUSE. TO BE COMPLIANT WITH SANS 204.				
GLAZING	4mm CLEAR GLASS AS PER MANUFACTURERS SPECIFICATIONS. ALL GLAZING TO COMPLY WITH SANS 1040 PART N. ENSURE ALL WATERPROOFING WITH SABS APPROVED SEALS. ALLOW 3-5mm VERTICAL MOVEMENT BETWEEN GLASS AND FRAME.				
HARDWARE	TO LATER SPECIFICATION				
				Quant:	01

WINDOW SCHEDULE: GROUND FLOOR		CORNER WINDOW		WINDOW TYPE	W04
SIZE (H x W)	1570mm x 300mm				575mm x 1015mm
DESCRIPTION	ALUMINIUM WINDOW				
FRAMES	POWDER COATED ALUMINIUM TO MATCH EXISTING HOUSE. TO BE COMPLIANT WITH SANS 204.				
GLAZING	4mm CLEAR GLASS AS PER MANUFACTURERS SPECIFICATIONS. ALL GLAZING TO COMPLY WITH SANS 1040 PART N. ENSURE ALL WATERPROOFING WITH SABS APPROVED SEALS. ALLOW 3-5mm VERTICAL MOVEMENT BETWEEN GLASS AND FRAME.				
HARDWARE	TO LATER SPECIFICATION				
				Quant:	01

WINDOW SCHEDULE: FIRST FLOOR		WINDOW TYPE	W05	
SIZE (H x W)	2420mm x 490mm			
DESCRIPTION	ALUMINIUM FRAMED WINDOW			
FRAMES	POWDER COATED ALUMINIUM TO MATCH EXISTING HOUSE. TO BE COMPLIANT WITH SANS 204.			
GLAZING	4mm CLEAR GLASS AS PER MANUFACTURERS SPECIFICATIONS. ALL GLAZING TO COMPLY WITH SANS 1040 PART N. ENSURE ALL WATERPROOFING WITH SABS APPROVED SEALS. ALLOW 3-5mm VERTICAL MOVEMENT BETWEEN GLASS AND FRAME.			
HARDWARE	TO LATER SPECIFICATION			
		Quant:		02

WINDOW SCHEDULE: FIRST FLOOR		steel oriel window	WINDOW TYPE	W06	
SIZE (H x W)	XXXm x XXXmm				
DESCRIPTION	ALUMINIUM FRAMED WINDOW				
FRAMES	POWDER COATED ALUMINIUM. TO BE COMPLIANT WITH SANS 204.				
GLAZING	4mm CLEAR GLASS AS PER MANUFACTURERS SPECIFICATIONS. ALL GLAZING TO COMPLY WITH SANS 1040 PART N. ENSURE ALL WATERPROOFING WITH SABS APPROVED SEALS. ALLOW 3-5mm VERTICAL MOVEMENT BETWEEN GLASS AND FRAME.				
HARDWARE	TO LATER SPECIFICATION				
				Quant:	01

WINDOW SCHEDULE: FIRST FLOOR		WINDOW TYPE	W07	
SIZE (H x W)	2420mm x 490mm			
DESCRIPTION	ALUMINIUM WINDOW			
FRAMES	POWDER COATED ALUMINIUM TO MATCH EXISTING HOUSE. TO BE COMPLIANT WITH SANS 204.			
GLAZING	4mm TOUGHENED SAFETY GLASS AS PER MANUFACTURERS SPECIFICATIONS.			
HARDWARE	TO LATER SPECIFICATION			
		Quant:		02

SIZE (H x W)	2420mm x 490mm		
DESCRIPTION	ALUMINIUM WINDOW		
FRAMES	POWDER COATED ALUMINIUM TO MATCH EXISTING HOUSE. TO BE COMPLIANT WITH SANS 204.		
GLAZING	4mm TOUGHENED SAFETY GLASS AS PER MANUFACTURERS SPECIFICATIONS.		
HARDWARE	TO LATER SPECIFICATION		

NOTES:		
COPYRIGHT AND RIGHT OF REPRODUCTION OF THIS DRAWING IS RESERVED BY THE ARCHITECT.		
GENERAL NOTES:		
FOR TENDER PURPOSES		
NO	REVISION	DATE
A	ISSUED FOR TENDER	20/10/2016

**LEMONpebble**  
architects

Suite 109, 1st Floor, The Mills, 66 Carr Street, Newtown, Johannesburg.  
P.O. Box 15813, Actonville, Benoni, 1506.  
Tel: +27 11 492 0413 | Fax: +27 11 492 0323

CLIENT  
**UNIVERSITY OF THE WITWATERSRAND**

UNIVERSITY OF THE WITWATERSRAND,  
JOHANNESBURG

PROJECT  
**PROPOSED NEW SBIMB LABORATORY**

9 JUBILEE STREET  
PARKTOWN, JOHANNESBURG

DRAWING  
**WINDOW SCHEDULE**

SCALE	DATE	DRAWN	CHECKED
1:50	18/08/15	NB	TR
PROJECT NUMBER		REVISION	
LPA-1704		A	
DRAWING NUMBER		LPA-1704-TD-110	