



SIZE (H x W)	2032mm x 1520mm	
DESCRIPTION	INTERNAL DOUBLE LEAF TIMBER DOOR.	
FRAMES	POWDER COATED ALUMINIUM. TO BE COMPLIANT WITH SANS 204.	
GLAZING	6mm LAMINATE SAFETY GLASS AS PER MANUFACTURERS SPECIFICATIONS. ALL GLAZING TO COMPLY WITH SANS 1040 PART N. ENSURE ALL WATERPROOFING WITH SABS APPROVED SEALS. ALLOW 3-5mm VERTICAL MOVEMENT BETWEEN GLASS AND FRAME.	
HARDWARE	TO LATER SPECIFICATION	

NOTES:

COPYRIGHT AND RIGHT OF REPRODUCTION OF THIS DRAWING IS RESERVED BY THE ARCHITECT.

GENERAL NOTES:

NO	REVISION	DATE
A	ISSUED FOR TENDER	20/06/16

FOR TENDER PURPOSES

TENDER



**LEMONpebble**  
architects

Suite 109, 1st Floor, The Mills, 66 Carr Street, Newtown, Johannesburg.  
P O Box 15813, Actonville, Benoni, 1506.  
Tel: +27 11 492 0413 | Fax: +27 11 492 0323

CLIENT

**UNIVERSITY OF THE WITWATERSRAND**



**UNIVERSITY OF THE WITWATERSRAND,  
JOHANNESBURG**

PROJECT

**PROPOSED NEW SBIMB LABORATORY**

9 JUBILEE STREET  
PARKTOWN, JOHANNESBURG

DRAWING

**DOOR SCHEDULE**

SCALE	DATE	DRAWN	CHECKED
1:50	180815	NB	TR
PROJECT NUMBER	<b>LPA-1704</b>		
DRAWING NUMBER	<b>LPA-1704-TD-111</b>		
	REVISION		
	A		